

**TABULATION OF QUOTE  
QUOTE NUMBER**

<b>D1-07-146</b>
------------------

**MISSOURI DEPARTMENT OF TRANSPORTATION  
DISTRICT 1 OFFICE  
ST. JOSEPH, MISSOURI**

Contract Period: April 23, 2007 to March 30, 2008

<p align="center"><b>SUPPLIER: Payless Concrete</b>  <b>Phone: 816-232-8855</b>  <b>Fax: 816-617-5000</b></p>							
<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>	<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	91.75	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	99.80
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	98.75	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	108.80
		1 % Calcium	2.00			1 % Calcium	2.00
		2 % Calcium	4.00			2 % Calcium	4.00
		Hot Water Charge	4.00			Hot Water Charge	4.00
		Short Load Charge Under 4 yds	40.00			Short Load Charge Under 4 yds	40.00
		Mileage Other Charges	2.50			Mileage Other Charges	2.50
Comments: Mileage \$2.50 per loaded mile outside city limits.							
<p align="center"><b>SUPPLIER: Cameron Concrete</b>  <b>Phone: 816-632-3683</b>  <b>Fax: 816-232-0365</b></p>							
<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>	<b>Quantity</b>	<b>U/M</b>	<b>Description</b>	<b>Unit Price</b>
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation "D" or "E" Stone	96.75	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation "F" Stone	102.80
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	103.75	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	110.80
		1 % Calcium	2.00			1 % Calcium	2.00
		2 % Calcium	4.00			2 % Calcium	4.00
		Hot Water Charge	4.00			Hot Water Charge	4.00
		Short Load Charge Under 4 yds	40.00			Short Load Charge Under 4 yds	40.00
		Mileage Other Charges	2.50			Mileage Other Charges	2.50
Comments: Mileage \$2.50 per loaded mile outside city limits.							

**SUPPLIER: Loch Sand and Construction**  
**Phone: 660-562-3100**  
**Fax: 660-562-2481**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation “D” or “E” Stone		As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation “F” Stone	
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	102.00	Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	114.00
		1 % Calcium	2.35			1 % Calcium	2.35
		2 % Calcium	4.40			2 % Calcium	4.40
		Hot Water Charge	4.50			Hot Water Charge	4.50
		Short Load Charge Under 3 yds	46.00			Short Load Charge Under 3 yds	46.00
		Mileage Other Charges				Mileage Other Charges	

Comments:

**SUPPLIER: Wahoo Concrete Products**  
**Phone: 660-425-7776**  
**Fax: 660-425-7778**

Quantity	U/M	Description	Unit Price	Quantity	U/M	Description	Unit Price
As Needed	Cuyd	8 ½ sack concrete with air; no fly ash. Gradation “D” or “E” Stone	95.00	As Needed	Cuyd	9.10 sack concrete with air; no fly ash. Gradation “F” Stone	
Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)		Material Specifications See also Page 2, General Requirements. Provide pavement repair concrete as per section 613 Missouri Standard Specifications for Highway Construction, 2004 Edition.		Type III Cement (if available)	
		1 % Calcium	2.25			1 % Calcium	
		2 % Calcium	4.50			2 % Calcium	
		Hot Water Charge	4.00			Hot Water Charge	
		Short Load Charge Depends on location	30.00			Short Load Charge Under 4 yds	
		Mileage Other Charges				Mileage Other Charges	

Comments:

Also this quote was sent to Green Ready Mix, Concrete Industries, Penny's Concrete, Allen Concrete, Southeast Redi-Mix, and American Concrete Products.